EMR-validated handrail scale with generous platform



seca 644

- + Safe weighing due to sturdy handrail
- + Large non-slip platform with 800 pounds capacity
- + 360° swivel dispaly for easy reading
- + With a BMI calculator and damping system
- + Mobile due to transport wheels
- + EMR-validated: transmit measured data directly to an electronic medical record system or printer



Image contains optional measuring rod seca 223.


EMR-validated handrail scale with generous platform



The best fall prevention during weighing

The half-round curved rail of the seca 644 is a perfect invitation to hold onto. The safety supports within arm's reach reduce the risk of falling, which always exists especially for elderly patients, and facilitates support for anybody who is unsteady on their feet. This results in significant physical relief and ease for the nursing staff in the care of patients with impaired mobility.

Capacity	800 lbs / 360 kg
Graduation	0.1 lb / 50 g
Dimensions (WxHxD) 25.2 x 45.3 x 26 in / 640 x 1,150 x 660 mm
Platform (WxHxD)	23.6 x 2.2 x 23.6 in / 600 x 55 x 600 mm
Net weight	55.9 lbs / 25.4 kg
Power supply	Power adapter, Rechargeable batteries
Functions	TARE, Pre-TARE, HOLD, Auto-HOLD, Auto- CLEAR, RESET, Automatic switch-off, BMI, Ibs/kg switch-over, Adjustable damping, SEND/Auto-SEND
Interfaces	Wi-Fi / Ethernet optional with seca 452
Accessories	+ Telescopic measuring rod seca 223 + Interface module seca 452
Measuring rod seca	223 (optional)
Measuring range	2–90 in / 6–230 cm
Graduation	1/8 in / 1 mm



Particularly flat and spacious platform

The non-slip weighing platform is almost four times as large as that of a normal flat scale and is also very flat. For weighing while sitting, a chair can be set up and its tare weight deducted. The two rubber rollers allow a single person to move the seca 644 to another place of use without difficulty. With the BMI function, the seca 644 immediately calculates the guideline value for nutritional status.



seca integration solutions: How to significantly improve workflows

EMR-validation means that the seca 644 can be integrated into the hospital information system via the network. In this way, measured data can be sent directly to the digital patient file (EMR) at the touch of a button, where they are immediately available to all users. With an additionally connected USB barcode scanner, the patient and user are identified and the measurement results are always correctly assigned. This saves you time, increases process reliability and eliminates transmission errors.

More information on seca integration solutions can be found at: integration.seca.com

5/2023

seca north america | west 13601 Benson Avenue Chino, CA 91710 USA seca north america | east 1439 Stuart Engals Blvd, Suite 200 Mount Pleasant, SC 29464 USA

T +1 800 542 7322 F +1 888 705 7397

E info.us@seca.com

Precision for health seca.com